PS
THE PREVENTIVE MAINTENANCE MONTHLY
nottingham annual archery contest
FORSOOTH! AND ALL THAT JAZZ... WE SHOULDA LOOKED IN THE PS INDEX.
INDEX
Issues 122-127
(Jan-Jun 1963)
Will Eisner

PS THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 7
to
ISSUES 122 - 127
(January - June 1963)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 122 to 127 INCLUSIVE

	PS	Page
A		
AIR COMPRESSOR		
Davey--OK to use recharging M15 cylinders	126	23
AIRCRAFT, ARMY		
Fixed Wing		
OV-1 (Mohawk)		
Ejection seat--Safety precautions	122	50
OV-1A (Mohawk)		
Slats--Check for clearance with cowling latch	124	42
O-1 (Bird Dog)		
Bomb shackle adapter--Secure with bolt, nut	122	55
Engine--Make wrench to remove oil pump screen cap	124	37
Flight controls--Use the lock bar	126	27
Fuel selector valve--Proper operation	125	40
Fuel--TBO change using 115/145 Av Gas	124	45
Windshield--Heat deflector fix	125	43
TO-1D (Bird Dog)		
Instrument panel--Replacement of faulty fuel pressure light switch	123	61
Rotary Wing		
CH-34 (Choctaw)		
Generator, Tachometer--Lockwire screws to prevent cable snap	124	41
OH-13 (Sioux)		
Lubricant--Use the right type	126	26
OH-13G, H (Sioux)		
Tail Rotor Drive Tube--Index with sleeve flange	124	45
OH-13H (Sioux)		
Heat by loadmeter	126	28

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
UH-1 (Iroquois)		
Seat belts--Lock before jumps	124	44
UH-1A (Iroquois)		
Engine--Make wrench to fit igniter plugs	124	43
Periodic inspection--Problems and cures	124	38
UH-1B (Iroquois)		
No chrome tools available	125	42
AIRCRAFT, ARMY, GENERAL		
Accessory replacements chart	127	37
Clamps--Use of proper types	125	41
DoD Change in model designations	123	60
Engine--Fill out EIR on R-1300-3 engines	123	65
Forms		
DA 12-31 (1 Nov 62) instructions	127	38
DA Form 2408-5--Listing of MWO and TCTM	122	56
Hardware--Install properly	125	38
Helmet, APH-5--Tape in liners	122	54
Lockwire electronic equipment	125	44
Maintenance stand (2-level) catch-lock fix	127	42
Maintenance		
Wear rubber soled shoes on slippery surfaces	122	59
Plastic windows--Sealing with zinc chromate putty	122	59
Preoiler--Select adapter to fit R-1340 and R-985 engine	123	58
Replacement parts--check	125	42
Safety		
Safety wire for radios, etc.	125	45
Shipping containers--release air for safety	126	24
Signals--Use proper hand signals when directing aircraft	124	41
Supply		
Special tools in property book if nonexpendable	127	40
Tires--Index to wheel	125	39
Tools		
Change in A/C mech's kit (SM 55-4-5180-A01)	122	59
Tensiometer--Check accuracy	127	41
AMBULANCE, 3/4-TON M43 and M43B1		
Replacing litter canvas	125	61
ANTENNAS		
Don't hit hot wires	123	46
No MWO caution plates	123	42

B

BALLISTIC COMPUTER, M13A1D
New Tab--Heat-T, M456 . . . . . 124 65
BATH UNIT
Inspecting the 8-showerhead type 126 60
BATTERY (SEE ALSO ELECTRICAL SYSTEM)
Hydrometer 126 48
Lead acid type (date stamp) 125 60
Penny doesn't prevent corrosion 126 41
Signal
BB-401/U--Elongating link holes 122 47
2HN and 6TN
Make ready for use 126 37
BAYONET
Scabbard
Paint ID markings on metal tab 127 56
BLANK FIRING ATTACHMENT, M12
M14 Rifle--How to get it 122 3
BLANK FIRING ATTACHMENT, M13
M60 MG--Correct FSN 122 3
BLASTING MACHINE, HANDLE OPERATED
Solvents and fire don't mix 122 65
BRAKE SYSTEM
Use only non-petroleum base hydraulic fluid 127 21
BREATHING APPARATUS
M15BA--Don't apply MWO 3-310-35/1 . . . . . 122 65
BRIDGE ERECTION BOATS
Ponton keel--grind down 122 63

C

CARBINE
Ammo Magazines--Seven authorized 124 4
CABLE
Use connectors right way 125 12
CABLE; SLAVE ASSEMBLY
Replacement terminal 123 39
CAMERA
KS-4A (1), PH-104
Supermatic (X) shutter MWO 126 58
CANVAS
Paint hardware on comm cases 126 57

	PS	Page
CARBON MONOXIDE DETECTOR KIT		
(SEE DETECTOR KIT)		
CARRIER, LIGHT WEAPONS, M274		
Securing quick disconnect couplers	126	39
CARRIER, PERSONNEL, ARMORED, M59		
Fuel filler pipe air vent tube--Put in properly	126	45
CARRIER, PERSONNEL, ARMORED M113		
Grease gun use	127	18
Mechanical tach part numbers	122	20
New accelerator pedal shaft	122	65
New torsion bar anchor screws	123	11
Preservative for magnesium components	125	37
Proper torque on sending units	127	20
Secure access covers	123	42
Tips on operation and maintenance	125	16
CARRIER, SELF-PROPELLED, MORTAR M84		
Engine--Check vacuum chamber on overspeed	127	16
Fuel filler pipe air vent tube--Put in properly	126	45
CATALOGS, "C" (SEE PUBLICATIONS)		
CHEST SETS		
AN/GSA-6 Chest Set Group		
Quick disconnect receptacle pin care	125	49
CLEANING MATERIALS--Listed in TM 9-247	123	57
COMMUNICATIONS EQUIPMENT		
Spit and polish can kill it	123	45
COMPRESSOR, CHAMPION, CE 36-10		
Valve installation	122	61
CORPORAL		
Faulty jackscrew sleeve guides	123	65
CORROSION		
Preservative for magnesium components	125	37
CRANE, ROUGH, TERRAIN,		
Plastic bags protect hose ends	125	58

D

DAVY CROCKETT		
Check MWO 9-2300-224-30/4	123	65
XM117 Telescope--Excessive binding	124	5
DECALS		
For M1 aiming circle	123	65
Vinyl-type--TB gives FSN's and instructions	125	64
DECONTAMINATION		
Decon Unit		
M11 Portable--Don't lose O-Ring	125	63

	PS	Page
DETECTOR KIT		
Carbon monoxide--Check dates on indicating tubes	125	62

E

ELECTRICAL CONNECTORS		
Kit--Bendix waterproof repair	124	20
ELECTRICAL SYSTEM		
Activating 2HN and 6TN Battery	126	37
Battery ground cable removal	122	64
Date Stamp on Batteries (Lead acid type)	125	60
Generator regulator plug	127	21
Turn signal hook-up in SB 9-203	126	65
ELECTRICAL SYSTEM (WHEELED VEHICLE)		
Battery-generator indicator wiring	124	17
ELECTRONICS		
Use care when cheating interlocks	125	10
ELEVATOR, NIKE		
Valves--Open all the way	123	54
EQUIPMENT RECORD SYSTEM (See Also FORMS, DA, DD, SF, ETC)		
Army Subject Schedule 38-1	124	65
PS 115 reprinted as DA Pam 38-750	124	65

F

FILTER UNIT (See TANK, GENERAL)		
FIRE TRUCK		
Centrifugal pump identification	123	55
FLAME THROWER, M2A1, M2A1-7		
Care in transporting	124	7
Gun & Hose--Lock in position	124	7
M7 gun (barrel-and-inlet body assembly packings)	127	60
FORMS, DA, DD, SF, ETC.		
DA Circular 700-15, Ch 2--New and superseded forms	123	41
DA Form 12-31 changed	127	38
DA Form 2028		
For changes in manuals	123	57
Use when errors in TM's & LO's are spotted	123	24
DA Form 2063R use	123	37
DA Form 2404 for CMI's	123	28

	PS	Page
FORMS, DA, DD, SF, ETC. (Cont'd)		
DA Form 2407--MWO's and EIR's	123	27
DA Form 2407--Where to send	127	23
DA Forms 2407, 2407-1, 2408-3-1, Appendix I		
TM 38-750 maint. code for "torn" is 947	125	65
DA Form 2408-3-1		
Keep on selected items	123	25
Where to send	127	23
DA Form 2408-7 and 2408-8		
Equipment history	124	62
Where to send	127	23
Disposition--AR 345-215	127	65
Log book binder	124	65
New property book page--DA Form 14-110 (Mar 62)	125	37
Use 1546 for cannibalizing requests	126	65
FUEL INJECTION SYSTEM		
Loose nozzles on 1790-2 engine	124	13
FUEL PUMP		
Oil in base, G741 & G758 series trucks	127	15
FUSES		
Electronic & Electrical fuses care & use	127	4

G

GALVANOMETER		
FSN for battery	124	64
GENERATOR, CONSOLIDATED DIESEL 45 KW		
Generator bracket reinforcement	122	63
GENERATOR, HAND-RINGING		
G-42/PT--Keep handwheel screw tight	125	53
GENERATOR, HOL-GAR, CE55-AC/WK6		
Oil hose--Relocate	123	38
Prevent carbon formation	122	40
GENERATOR, HOL-GAR CE 105		
Radiator tie-rod replacement	123	52
GENERATOR, HOL-GAR, CE 600		
Fuel pump--Don't time when running	122	62
GENERATOR, JETA 10KW, MG1018		
Publication--Use TM 5-6115-204-series	125	64
GENERATOR, LELAND LOE-660		
Resistor leads--Relocate	125	57
GENERATORS, PU-286A/G & 286B/G		
Sealing solenoid coil	122	41

	PS	Page
GENERATOR, WAUKESHA 6NKDBS-EU1		
Fuel lines--Excess bends	123	55
GENERATORS		
Brush tension gage	125	63
Operation--Reduce vibrations	124	58
V-Belts--Matching set	125	59
GRADER		
Huber-Warco Model 4D--Handbrake spring	123	51
Huber-Warco 4D (Winterized)		
Fuel shut-off valve change	123	56
Huber-Warco fuel gage	122	62
GRENADE LAUNCHER, M79		
Be Your Own Inspector	125	2
Stock--Don't split it.	124	2
GUN, MACHINE, 50 CAL		
Oil buffer tube--Install tube with slot vertical	127	61
GUN, MACHINE, M60, 7.62-MM		
Gas cylinder plug--Keep it tight	124	3
Gas Piston--Don't overclean it	124	2
Trigger--Hold it back when firing	122	23
GUN, MACHINE, M73		
Removal of ruptured cartridge case	126	2
GUN, MOTORIZED, M65, 280-MM		
Breechblock--Operate carefully with M34 firing mechanism	122	65
GUN, SELF-PROPELLED, M53, 155-MM		
Breechblock--Operate carefully with M34 firing mechanism	122	65

H

HANDSET-HEADSETS		
Operation of H-144/U and H-81/U.	124	46
HAWK		
Control potentiometers--Loosen locking rings before adjusting pots	123	24
Crew Chief Junction Box		
Call support if DSI indicating light doesn't work	123	23
Training films	124	10
Launcher		
Drain water from boom	123	20
Keep compartment lock nuts in place	124	11
Keep off suspension lockout assembly	123	19

	PS	Page
HAWK (Cont'd)		
Launcher (Cont'd)		
Keep water out of compartments	124	11
Line on each forward rotating sector tells if hook is out of adjustment	123	19
Look for water in turret latches	123	19
Motor pump assembly needs oil	124	10
MWO lets you stow sway braces	123	21
Reverse swivels for forward outrigger assemblies to prevent damage	123	19
Use boot on missile cooling blower toggle switch	123	20
Launcher Control Unit		
Handle door with care	123	22
Keep moisture level down	123	22
Loader		
Change 1 to TM 9-1450-500-10 has important scoop	123	21
Prevent damage to missile	123	17
Rotate superstructure when carrying loader on truck	126	8
Use OHA in loader's hydraulic system	125	64
Tape cracks in air breather hose	123	20
Missile		
Antenna stub plastic cap is for shipping	123	15
Check captive nuts to see if wing attachments are misalined	123	18
Cover hoist holes with tape	123	15
Cover holes in warhead shell with tape	123	18
Dust cap stays on hydraulic exhaust port	124	8
Grind off part of old shorting plug	127	47
Handle radome with care	123	65
Keep gimbal ring electrical connectors in good shape	127	46
No way to drain hydraulic lines	124	9
Prepare exit nozzle for painting	123	17
S&A device plastic disks should be fastened	123	16
Support unit finds cause for low accumulator pressure reading	123	16
Support unit helps with radome lock key problems	124	9
Tape destructor plug access door shut	127	47
Time needed to fire or return to standby	123	24
Use aperture sealing fixture to plug breather port	123	18
Use GAA where motor and actuator join	124	8
Use gage to check rokhide liner	127	45
Use shorting plug to short accumulator squib	123	18
Missile Test Shop		
Handle electronic packages with care	123	23
Multimeter, AN/PSM-6--Go easy with test probes	123	16
Publications--Use DA Form 2028 when errors in TM's and LO's are spotted	123	24

	PS	Page
HAWK (Cont'd)		
Radar, AN/MPQ-33		
Keep elevation & azimuth drive unit screws tight	123	1
Seal to keep out water	127	44
Slide electrical rack with ease	123	24
Radar, AN/MPQ-34		
Keep elevation & azimuth drive unit screws tight	123	1
Slide electrical rack with ease	123	24
Turn handle carefully when locking compartments	123	23
Radar, AN/MPQ-35		
Don't step on cables or connectors	127	44
Go easy when lubing bearing clamp ring	123	22
Keep petcocks open except when fording	123	23
Tools		
FSN for socket wrench adaptor used when torquing wing bolts	123	17
What you need for the high power illuminator	127	43
HEADSETS		
H-75, H-101, Earcap covers for	125	41
HELMET, APH-5		
Tape in liners	122	54
HONEST JOHN		
Blast hood on main junction box	124	28
Check launching beam	127	49
Launcher M289 and M33		
Stop firing failures because of firing cable shorts	125	64
Launcher M386		
Adapter assembly on handling beam may need machining	125	8
Check the alinement plates	127	50
Don't use welded parts on folding beams lock	125	7
Stabilizer jacks shouldn't pop up when raising	125	8
Stop firing failures because of firing cable shorts	125	64
Truck frame & cross member at rear of vehicle need to be bolted	125	9
M405 Handling Unit		
Be sure hoist hook's free before pumping	127	51
Go easy when washing	127	49
Use hydraulic pump handle with care	127	51
MWO puts rectifier on different major items	125	65
Use handrail	127	48
HOWITZER, 8-INCH, SELF-PROPELLED, M55		
Breechblock--Operate carefully with M34 firing mechanism	122	65
HOWITZER, SELF-PROPELLED, M44, 155-MM		
Breechblock--Operate carefully with M34 firing mechanism	122	65

	PS	Page
HOWITZER, TOWED, 105-MM		
Change to TM doesn't affect model designations on data plates for major components	123	38
HYDRAULIC BRAKE SYSTEM		
Non-petroleum base fluid only	127	21

I

INSPECTION		
Be Your Own Inspector		
8-showerhead bath unit	126	60
Grenade launcher, M79	125	2
Protective Mask, M17	123	62
Truck, 1/4-Ton, M151	122	4
CMI's--Use DA Form 2404	123	28

L

LITTLEJOHN		
Rocket		
Don't squeeze elevating mechanism	126	12
Training Rocket		
Wear pieces--How to replace them	126	10
LOUDSPEAKER		
LS-166 tightening anchor bolts with tool	124	48

M

MAINTENANCE		
Decimal-Fraction Equivalent Table	125	65
No Q's for tactical wheeled vehicles	127	65
TM 38-750--Correction	124	64
MATERIALS HANDLING EQUIPMENT		
10,000-lb rough terrain--Lock these bolts on extension cylinder	123	14
Warehouse tractor--MWO kit keep it from starting while in gear	125	64
MESS EQUIPMENT		
Plans for mobile kitchen	123	39
MODIFICATION WORK ORDER		
Get 'em applied	126	1
MOUNT, MACHINE GUN, M-SERIES VEHICLES		
M36--Apply MWO	124	4

N

NIKE AJAX
Missile--Use tape to cover warhead closing plugs 127 52
NIKE, GENERAL
Missile--Use right wrench to remove JATO closure plugs 127 55
Painting--Use right kind for spot painting 126 13
NIKE HERCULES
Acquisition Antenna--Keep air vent open when putting oil in antenna drive 127 55
FSN for packings under MWO 9-1450-250-20/2 . . . . . 123 1
Launcher
Use PL oil in shut-off valve 122 65
Track Radars--Go easy when making zero adjustments on data potentiometers 127 53
Trailer, XM 529--Make sure king-pin nut-lock bolts are tight 127 54
NIKE, GENERAL (AJAX AND HERCULES)
Shim, spacer--Turn them in 126 13
Van, BC
Lubing blower bearing in ventilator cabinet 127 52

P

PARTS
Requisition information 127 26
PROTECTIVE MASK
E75 Helicopter mask--Hold on to it 127 65
M17
Be Your Own Inspector 123 62
Check louvers on inlet-valve assembly 123 64
M24 Aircraft Mask 127 65
POWER UNITS
PU-422/U--Operating tips 124 56
PROJECTOR
AS-2(1)--FSN for P-P3 . . . . . .124 53
PROTECTIVE EQUIPMENT
General scoop on use of clothing, masks, etc. for missile fuel handlers 126 15
PUBLICATIONS
AR 345-215--Records Management 127 65
Correction in TM 38-750 . . . . . 124 64
DA Circular 700-15, Ch 2--New and superseded forms . . 123 41
DA Pam 310-4--How to use it 122 24
Manufacturers' manuals 127 22

	PS	Page
PUBLICATIONS (Cont'd)		
New	122	60
	123	57
	124	28
	125	37
	126	51
	127	22
New "C" catalogs	123	2
PS goes to "pin-point" distribution	126	51
PS--How PS Magazine helps on CMMI inspections	125	64
Requisition information	127	26
Supply		
For Reserve Units	126	65
Technical bulletins--New "Traffic Light"	127	2
TM 8-605--Organizational maintenance of medical equip.	123	1
TM 9-247--Cleaning materials	123	57
PUMP, FUEL		
Roosa-Master--Don't time when running	122	62

R

RADAR SET		
AN/MPQ-4A--Stencil for level	123	43
RADIAC		
Calibrator TS-1230/PD		
Hot where it shouldn't be	126	65
Charger, PP-1578/PD--Use dessicant when storing	123	47
IM-93/UD--PM procedures	126	53
RADIO ACCESSORIES		
Fix for desk microphone M-110/U	126	59
Turn hand generator correctly	126	59
RADIOACTIVE TEST SAMPLES		
Secure identification tags	125	56
RADIO GROUND STRAP		
Don't fasten it to wood	125	52
RADIO KIT		
Radio Power Feed Kit--Make sure it's on vehicle	124	51
RADIO RECEIVERS		
R-19 cables	123	47
R-108, 109, 110--Dial drive assembly care	126	52
R-220/URR and R-644/URR		
Radioactive tube shield E325	125	54
R-390/URR--Adjusting knobs	124	49
R-392 dial lock--Unlock it	123	44

	PS	Page
RADIO RECEIVING SET		
AN/GRR-5		
Don't interchange AC, DC cables	125	51
AN/URR-29 and 29X		
Radioactive tube shield E325	125	54
RADIO SETS		
AN/GRC-3 thru 8		
Cable mix-up on amplifier and power supply	123	49
RF peaking on meter M301	122	45
AN/GRC-9		
Control Knob locks	125	47
Transmitter calibration chart	125	46
AN/GRC-19		
Operation tips	122	42
Tape binding post on R-392/URR	122	49
Tip on service selector	122	48
AN/GRC, AN/VRC Tester--For checking vibrator in power supply unit	124	52
AN/PRC-6		
Keep air valve open	125	48
AN-PRC-10		
Antenna cord--Where to get it	123	48
AN/TRC-24--Low Power Alarm System	124	54
Dummy Antenna--For RT-70/GRC and RT-66-68/GRC	124	53
FRT-51		
Modulator-oscillator group		
Subs for soft-headed screws	122	48
Portable radio batteries--Remove when not in use	123	1
Radio Set Group OA-1387/GRC--Low Power Alarm System	124	54
RT-68 & 70--Substitute for antenna insulator	123	49
Securing audio caps	123	44
Tighten connectors before washing vehicle	124	50
Vehicle mounted--Turn off before starting engine	122	49
RADIO TRANSMITTER		
AN/FRT-22 and 26--Disconnect strap	125	53
RECEIVER-TRANSMITTER, RADAR		
Tip on RT-540/DPN-62	124	48
REEL EQUIPMENT		
Using RL-39 on howitzer	124	47
RIFLE, AUTOMATIC, CAL 30, BROWNING		
Lock washer for buffer group--Get right one	122	2
RIFLE, M1, CAL 30		
How to use chamber cleaning brush	126	4
Sears, pinions--Don't switch with M14 Rifle	122	22

	PS	Page
RIFLE, M14, 7.62-MM		
Dry cylinder and plugs good before first firing	126	65
Gas Piston--Don't overclean it	124	2
How to use chamber cleaning brush	126	4
Sears, pinions--Don't switch with M1 Rifle	122	22
RIFLE, RECOILLESS, 106-MM		
New cams, firing pins available	124	6
RIFLE STOCKS		
Don't sand 'em	127	65
ROCKET LAUNCHER (3.5-in)		
Lubing electrical firing mechanism	127	62

S

SAFETY		
Turn radios off in blasting areas	125	52
SHELTERS		
S-56 and S-69/GRC--Beef up lifting straps	122	46
SLAVE CABLE ASSEMBLY		
Replacement terminal	123	39
SNOWPLOW, Frink RO-10--Operating tips	123	52
STORAGE		
Igloo closures, expendable item	126	41
SUPPLY		
Cannibalization form	126	65
How to ask for item not assigned FSN	127	28
New PB page DA Form 14-110 (Mar 62)	125	37
Nonexpendable special tools go in property book	127	40
SWITCHBOARD		
SB-86/P--Jack field screw care	124	51

T

TANK, GENERAL		
Filter units--Which ones fits into combat vehicles	125	56
Pressure relief fitting	124	14
Temporary booster coil fix on 1790-series engines	124	16
Track Jacks (See TOOLS)		
When track shoe pads are needed	127	56
TANK, M41, 76-MM GUN		
How to waterproof relays	123	40
TANK, M48		
Auxiliary engine--Make wrench to remove mounting bolts	124	14

	PS	Page
TANK, M60		
Driver to check for loose injector nozzles	124	13
Gunner's guard assembly--Save the relay	124	12
New starter relay	124	27
Replacing electrical lead from the quick disconnect bracket	123	14
Secondary oil filter kit	123	12
Slaving with other vehicles	123	13
Transmission dip stick	124	26
TECHNICAL BULLETINS (See PUBLICATIONS)		
TELEPHONE		
TA-1/PT--Handle brittle case with care	124	49
TA-312/PT--Shrinking cases	124	50
TELETYPEWRITER		
Adjust motor speed, range dial	126	54
AN/VRC-29--Count your shock mounts	125	49
Function of stop plate	125	50
TEST SET, RADIO		
AN/ARM-51--CX-6670/U & CX-6673/U cables	127	13
THE ARMY EQUIPMENT RECORD SYSTEM (SEE FORMS)		
DA Forms 2408-7 and 2408-8	124	62
THEODOLITE		
Paint FSN	127	64
TOOLS		
Climbing--Repair straps	123	1
Gage--Generator brush tension	125	63
Hand and measuring		
TM 9-243's Loaded with dope	125	65
No TK-100/MSQ-18	126	57
Sets-Kits		
2d Echelon No. 2 Supplemental	125	20
Rocket (Honest John)	127	48
Signal tool equipment	123	50
SM for saddler's tool kit	123	1
Track Jacks--Welding broken fixture	127	58
TOWING		
Control of towed vehicle	126	50
Truck, 2-1/2-Ton, G749 series	127	65
TRACK JACKS (See TOOLS)		
TRAILER, 1-1/2-TON, M104, M105, M106		
Lunette adjustment	126	49
TRAILER, SEMI, 25 TON, M172		
Publications for ELB 25	122	37
TRAINFIRE, M31 and M31A1		
Correct FSN for transformer	123	65
TRAINING AIDS		
Equipment maintaining maintenance log records	123	28

	PS	Page
TRUCK, 1/4-TON, G758 SERIES		
Oil in fuel pump base	127	15
TRUCK, 1/4-TON, M38		
Starter pedal rusts	122	39
Tightening troop seat bolts	123	1
TRUCK, 1/4-TON, M38A1		
Distributor stockage	123	1
Spark plug, low speed use	125	14
TRUCK, 1/4-TON, M38A1C		
Correct tire pressure	122	38
TRUCK, 1/4-TON M151		
Be your own inspector	122	4
FSN for seal coating compound	126	42
Headlights, sealed beam--substitute	126	46
New bearing seals	127	14
No arc welder	124	65
Safety strap stock number	122	38
Speedometer drive adapter	122	2
TRUCK, 3/4-TON, M37		
New winch cable length	127	17
TRUCK, 3/4-TON, G741 SERIES		
How to tow it	122	21
Lifting bracket tips	124	18
M43 and M43B1 Ambulance		
Replacing litter canvas	125	61
Oil in fuel pump base	127	15
Tire pressure for M37B1	124	18
TRUCK, 3/4-TON, M37B1		
Positioning brake hose to "T"	124	19
TRUCK, 2-1/2-TON, M211		
Tires--Matching	126	43
TRUCK, 2-1/2-TON, M220		
Tires--Matching	126	43
TRUCK, 2 1/2-TON, G742 SERIES		
Fan blades--Installation	123	40
TRUCK, 2 1/2-TON, G749 SERIES		
Brake master cylinder dip-stick	125	15
Tie Rod Installation	126	42
Towing procedure	127	65
TRUCK, 2-1/2 TON GMC (G749 SERIES)		
New non-rust brake-adjusting parts	125	15
TRUCK, 2-1/2-TON M135 (G749 SERIES)		
Curing front end shimmy	126	44
TRUCK, FORKLIFT, ROUGH TERRAIN		
In load-carrying, never lift forks more'n needed	125	58
TRUCK, GENERAL		
Turn signal hook-up in SB 9-203	126	65

	PS	Page
TRUCK, TANK, 2-1/2 TON M49, M49C		
Discharge valve--Corrosion	127	16
TRUCK, TRACTOR, 5-TON, M52		
Speeds to prevent lugging	126	40
TRUCK, WRECKER, 5-TON, M62		
Towed vehicle--Control	126	50
TUBES, ELECTRONIC		
Criteria on PPI tubes	126	14
TUBES, RADIOACTIVE		
AN/URR-29 and 29X		
Tube shield E325 & Tube OB2 Disposal	125	54

V

VAN, REPAIR PARTS		
Side door adjustment	123	53
VARNISH, OIL--Order from Engineers	123	1
VEHICLE, TANK RECOVERY, M88		
Fix to save rear tail lights	127	57
Number of shoes needed	123	1
Use of hoist winch	124	15
VEHICLES, TACTICAL, GENERAL		
Deepwater fording TM	124	28
No Q's for wheeled vehicles	127	65

W

WATER PURIFIER		
MET-PRO 1500-2600		
Flexible tubing	127	27
WELDING		
Drums, fuel and oil--Purge before welding	127	63
Fumes--Remove from confined areas	124	60
WHEELED VEHICLE, GENERAL		
Rust-prone parts	122	39
WINCH		
M88 TRV hoist winch operating	124	15

☆ U. S. GOVERNMENT PRINTING OFFICE : 1963 O - 698357

REQUIREMENTS FOR INITIAL DISTRIBUTION OF DEPARTMENT OF THE ARMY (AND OTHER) ADMINISTRATIVE PUBLICATIONS, OTHER THAN REGULATIONS AND CIRCULARS

DATE

ACCOUNT NUMBER

TYPE OF REQUISITION
☐ INITIAL
☐ CHANGE
☐ REVISION

PIN-POINT DISTRIBUTION IS HERE FOR PS MAGAZINE

IT'S ARMY-WIDE AND WORKS EASY AS 1-2-3—

PUBLICATION	QUANTITY REQUIRED	PUBLICATION	QUANTITY REQUIRED	PUBLICATION	QUANTITY REQUIRED
*ARMY AVIATION DIGEST		INDEX OF ARMY MOTION PIC...			
		...(DA PAM 310-2)			
*ARMY ... MAGAZINE		INDEX OF TRAINING PUBLICATIONS (DA PAM 310-3)			
*(Army) PS MAGAZINE		INDEX OF TECHNICAL PUBLICATIONS (DA PAM 310-4)			
ARMED SERVICES PROCUREMENT REGULATION		INDEX OF TRAINING AIDS AND DEVICES (DA PAM 310-5)			
ARMY PROCUREMENT PROCEDURES PUBLICATIONS		INDEX OF TOE, TO, TYPE TD, AND TA (DA PAM 310-7)			
(Army) PROCUREMENT LEGAL SERVICE (DA PAM 715-50-series)		INDEX OF ARMY PERSONNEL TESTS (DA PAM 310-8)			
CIVILIAN PERSONNEL CIRCULARS		INDEX OF 11-SERIES SUPPLY MANUALS (DA PAM 310-21)			
CIVILIAN PERSONNEL REGULATIONS		INDEX OF ... MANUALS			
CIVILIAN PERSONNEL PAMPHLETS					
CIVILIAN PERSONNEL PROCEDURES MANUAL					
*(CSC) FED PERS MANUAL, BULLETINS AND LETTERS					
CSC POSITION CLASSIFICATION STANDARDS					
(DA) BULLETINS					
(DA) GENERAL ORDERS					
DEBARRED BIDDERS, LIST OF (DA CIR 715-1)					
DECISIONS OF THE COMPTROLLER GENERAL					
FINANCE SERVICE AND ADMINISTRATION (DA PAM 35-1)					

SIGNATURE OF APPROVING AUTHORITY

1. **Show on DA Form 12-4 how many copies your unit needs.**
2. **Mail the DA Form 12-4 to—** (thru channels)

   U. S. Army AG Publications Center
   2800 Eastern Blvd.
   Middle River
   Baltimore 20, Md.
3. **The AG Center will mail DIRECT to your unit the number of copies needed.**

See DA Circular 310-57 (14 Mar 63)

and AR 310-1 (Sect. III, Chap 3.)

DA FORM 1 SEP 62 12-4

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.